




PARKITECT®

MODULAR  
PUMPTRACK





PARKITECT®





All Wheels  
All Ages  
All Abilities



# The PARKITECT difference



Expertly  
pre-engineered  
& certified



Cost efficient  
riding activity  
solution



Resistant  
to vandalism  
and weather

## Plywood Composite

Plywood Composite Modular Pumptracks using our proprietary reinforced fibreglass high grip riding surface are strong enough to be installed permanently in public spaces, yet light enough to be transported to events.

This flexibility makes plywood composite tracks ideal for attracting crowds to public events such as festivals, family fun days, and fundraisers.

Parkitect's original and most versatile product, plywood composite structures have proven their durability in the harshest environments: from the deserts in Dubai, to the snow of the French Alps. Top quality timber is cut and treated to protect against water and insects and all fasteners are rust proof.

Engineered for long life, low maintenance and high grip, our plywood composite tracks have a proprietary non-slip riding surface, use ecological resins and paints, and are fast and simple to install.

### Key features:

- Excellent for attracting crowds to events or reactivating spaces
- Fast and simple to install by non-specialised trades
- Super cost effective - install around existing infrastructure and landscaping
- Proprietary reinforced fibreglass high grip riding surface
- 17mm premium exterior grade European Birch film faced plywood
- Stainless steel and galvanised strengthening components
- Stainless steel and zinc anodised hardware
- Ecological resins and paints



### Riding Surface

Made from woven GFRP with all weather grip, our riding surface is durable, repairable, and suitable for all wheels. It is attached from the sides and the bottom to avoid protruding screw hazards.

### Smooth Edges

Our edges are smooth and round to avoid scrapes on skin and paint.

### Rubber Feet

Every module sits on moulded rubber pads keeping it off the ground, reducing noise and vibration, and allowing the wood frame to breathe.

### Hidden Hardware

All of the assembly hardware is neatly hidden under the riding surface for both rider safety and security.

### Stainless Steel

We use high quality stainless steel for all assembly hardware and all exposed reinforcement components.

# The PARKITECT difference



Guaranteed riding result with proven geometry



Aesthetically pleasing riding play-space for public areas



Proven track design for rider safety & enjoyment



# What is **new?**

1. Hidden Hardware

---




2. Steel to Steel Structural  
Connection Elements


---

3. Riding Surface  
Reinforcement

---

4. No Fasteners Through  
the Riding Surface





## Hidden Hardware

PARKITECT® products have the hardware on the low side neatly tucked under the edges of the structure. Competitor products have the hardware sticking out causing a tripping hazard with sharp edges.

On the high side of PARKITECT® products the hardware is under custom fitted covers that prevent vandalism and increase the safety. Competitor products have all the hardware exposed so anyone with a wrench can tamper with the bolts.

**Notice:**  
Insist that your community pumptrack is safe and not easy to tamper with nor vandalize.

# Steel to Steel Structural Connection Elements

PARKITECT® products have Steel to Steel Structural Connection Elements on the low side of each module to avoid relying on wood, fasteners and glue. This ensures that the modules stay perfectly flush with one another, lowering the risk that there will be gaps or bumps in the riding surface over time.

**Notice:**  
Avoid safety issues and costly repairs in the future by insisting that steel to steel structural connection elements are used on all low side connections of the future pumptrack in your community.





safe

Reinforcement

## Riding Surface Reinforcement

PARKITECT® products have Riding Surface Reinforcement in all the critical points along the track to make sure the riders have a smooth and safe experience. This also helps with sound dampening and protects the riding surface from damage over time.

**Notice:**  
This Riding Surface Reinforcement prevents inconsistent wear patterns from developing on the track over time.

safe

safe

Rubber Layer

not good

# No Fasteners Through the Riding Surface

PARKITECT® products have the Riding Surface attached from the bottom and the sides so there is no chance that the heads of the hardware could ever stick out.

**Notice:**  
Avoid safety and liability issues by insisting that the future pumptrack in your community has no fasteners nor hardware through the riding surface to attach it to the structure.

safe



safe



safe

safe






PARKITECT®

# SPEEDRING

## Key Specifications

Track length.....36 m  
Layout area.....93 m<sup>2</sup>  
Net weight.....1795 kg  
Custom pallets.....8

## Assembled Dimensions (metres)



## Options and Accesories included

Entry / Exit Kit  
City Armour Kit  
X1 Entry / Exit Modules (X1L & X1R)  
8m track length extension, 4 bump modules






PARKITECT®

# BOWTIE

## Key Specifications


Track length.....42 m  
Layout area.....92 m<sup>2</sup>  
Net weight.....2061 kg  
Custom pallets.....10

## Assembled Dimensions (metres)



## Options and Accesories included

Entry / Exit Kit  
City Armour Kit  
X1 Entry / Exit Modules (X1L & X1R)







PARKITECT®

TRISTAR



### Key Specifications

Track length.....46 m  
Layout area.....166 m<sup>2</sup>  
Net weight.....2133 kg  
Custom pallets.....9

### Options and Accesories included

Entry / Exit Kit  
City Armour Kit  
X1 Entry / Exit Modules (X1L & X1R)

### Assembled Dimensions (metres)






PARKITECT®

# QUADRAGON

## Key Specifications

Track length.....48 m  
Layout area.....186 m<sup>2</sup>  
Net weight.....2182 kg  
Custom pallets.....9


## Assembled Dimensions (metres)



## Options and Accesories included

Entry / Exit Kit  
City Armour Kit  
X1 Entry / Exit Modules (X1L & X1R)  
8m track length extension, 4 bump modules

## Alternative Layouts







PARKITECT®

GLOBAL


### Key Specifications

Track length.....57 m  
Layout area.....150 m<sup>2</sup>  
Net weight.....2670 kg  
Custom pallets.....10

### Options and Accesories included

Entry / Exit Kit  
City Armour Kit  
X1 Entry / Exit Modules (X1L & X1R)

### Assembled Dimensions (metres)



### Alternative Layouts





PARKITECT®

# WORLD CUP



## Key Specifications

Track length.....65 m  
Layout area.....198 m<sup>2</sup>  
Net weight.....3052 kg  
Custom pallets.....12

## Options and Accesories included

Entry / Exit Kit  
City Armour Kit  
X1 Entry / Exit Modules (X1L & X1R)

## Assembled Dimensions (metres)



## Alternative Layouts







PARKITECT®

ADVANCED



### Key Specifications

Track length.....79 m  
Layout area.....248 m<sup>2</sup>  
Net weight.....3649 kg  
Custom pallets.....15

### Options and Accesories included

Entry / Exit Kit  
City Armour Kit  
X1 Entry / Exit Modules (X1L & X1R)

### Assembled Dimensions (metres)



### Alternative Layouts






PARKITECT®

# SIDEWINDER

## Key Specifications

Track length.....94 m  
Layout area.....288 m<sup>2</sup>  
Net weight.....4302 kg  
Custom pallets.....18

## Assembled Dimensions (metres)



## Options and Accesories included

Entry / Exit Kit  
City Armour Kit  
X1 Entry / Exit Modules (X1L & X1R)



## Alternative Layouts








PARKITECT®

# SWITCHBACK

## Key Specifications

Track length.....120 m  
Layout area.....450 m<sup>2</sup>  
Net weight.....5056 kg  
Custom pallets.....20

## Assembled Dimensions (metres)



## Options and Accesories included

Entry / Exit Kit  
City Armour Kit  
X1 Entry / Exit Modules (X1L & X1R)  
8m track length extension, 4 bump modules



## Alternative Layouts





PARKITECT®

# RANCH


## Key Specifications

Track length.....150 m  
Layout area.....584 m<sup>2</sup>  
Net weight.....6768 kg  
Custom pallets.....27

## Options and Accesories included

Entry / Exit Kit  
City Armour Kit  
X1 Entry / Exit Modules (X1L & X1R)

## Assembled Dimensions (metres)



## Alternative Layouts







PARKITECT®

# INFINITY LOOP


## Key Specifications

Track length.....80 m  
Layout area.....192 m<sup>2</sup>  
Net weight.....3825 kg  
Custom pallets.....15

## Options and Accesories included

Entry / Exit Kit  
City Armour Kit  
X1 Entry / Exit Modules (X1L & X1R)

## Assembled Dimensions (metres)






PARKITECT®

# SPEEDSTAR

## Key Specifications


Track length.....86 m  
Layout area.....262 m<sup>2</sup>  
Net weight.....4163 kg  
Custom pallets.....17

## Assembled Dimensions (metres)



## Options and Accesories included

Entry / Exit Kit  
City Armour Kit  
X1 Entry / Exit Modules (X1L & X1R)








PARKITECT®

# RHYTHM STRAIGHTS

## Key Specifications (BEGINNERS)


Track length.....15 m  
Layout area.....15 m<sup>2</sup>  
Net weight.....520 kg  
Custom pallets.....2

## Assembled Dimensions (metres)



## Key Specifications (INTERMEDIATE)


Track length.....29 m  
Layout area.....29 m<sup>2</sup>  
Net weight.....990 kg  
Custom pallets.....4



## BEGINNERS



## INTERMEDIATE





PARKITECT®

## CUSTOM DESIGNS

Using the modular design of the system we can work with both your available space and your budget to design an awesome custom layout that perfectly suits your needs.

Simply provide us the details and our design team will get to work to ensure your custom layout will deliver the proven riding flow for all wheels and all ages.





PARKITECT®

# OPTIONS

These Optional Modules add connections and entry & exit points to any Modular Pumptrack.

They are compatible with any new or existing layout. It can be purchased as an upgrade in conjunction with a new track or sold separately as an addition to an existing track.

## X1 - Entry / Exit Module

The X1 is a B01 shaped entry & exit point.

Designed to provide a dedicated entry & exit point for any track. X1's provide a defined start & finish point keeping the flow of the rider track smoother & easier to manage in any installation or location.

They allow riders to carry their speed whilst entering the track with better momentum for a fun & safer ride.

X1's also allow you to join a track to other tracks & pathways.



## X5 - Ramp to Ground

The X5 provides a transition ramp from a X1 or X4 to ground level.

This transition module brings the riding surface of the X1 interface seamlessly down to ground level.



## X7 - X1 to X1 Connector

The X7 connects one X1 module to another X1 module.

This allows one track to join to another track or rhythm straight.



## X6 - Ramp to Ground

The X6 provides a transition ramp from a B1 to ground level.

This transition module brings the riding surface of the B1 seamlessly down to ground level.





# Surface colors

## 1. Standard Colours

## 2. Premium Colours

## 3. Custom Colours

1.



1.



1.



2.



2.



2.



2.



3.



3.










# Original and Low

This slightly lower profile version of our V3 product is ideal where:

- the user base is predominantly elementary school age groups,
- and/or where the user base is predominantly scooters (with the lower profile they are less likely to high-centre and scratch the riding surface).


The only drawback is that advanced and expert riders will not be able to accelerate as fast as they could on the Original. However, once they get up to speed the feeling is quite similar.

**Note on compatibility:** you can add Low height modules to existing tracks with Original height modules by connecting them at the low end of the modules.



These are the Modules of the V3 product.

The “Low” Version applies to all straight modules: **T4L/R, X1L/R, DB1, GAP, B01**






## Standard T03 Version 3.2

Tried and true form and function.  
This is how we have been making them  
since 2009.


- Plywood and solid wood frame
- Solid Galvanized steel front section with hardware under the riding surface



## Premium T03 Steel Version 3.3

Ideal for installations where extra durability  
is required. Also idea for Events and  
Seasonal applications where smaller  
packaging size and lower weight are key.

- 100% Galvanized Steel Frame
- Galvanized Steel Removable Legs
- Fiberglass CA2 enclosure module included



## T03 Version

Standard T03  
Version 3.2

Premium T03  
Steel Version 3.3

### Advantages:

- More durable structure
- More compact for shipping and storage
- Lighter weight
- Lower maintenance cost




**Coming  
SOON**

# Awards



PARKITECT®



**BEST BIKE  
INFRASTRUCTURE  
COMPANY - EUROPE**  
WINNER 2016



**ISPO BRANDNEW  
AWARD**  
WINNER 2014/2015



**ISPO AWARD GOLD**  
WINNER 2016/2017




**EUROBIKE GOLD  
AWARD**  
WINNER 2015



**BUDMA GOLD  
AWARD**  
WINNER 2014





PARKITECT®

Dealer:

UK DEALER

DIRT FACTORY LTD

[WWW.DIRTFACTORY.CO.UK](http://WWW.DIRTFACTORY.CO.UK)



Follow us on:



**PARKITECT AG** | [info@parkitect.ch](mailto:info@parkitect.ch) | [www.parkitect.ch](http://www.parkitect.ch)

